

Liberty Sprayer

MODEL # 940005

OVERVIEW

The Liberty Sprayer is a chemical spray applicator for projecting ready-to-use chemical solution on to a variety of surfaces. This unit features a stainless steel enclosure and uses a cost-effective Flojet air-operated, double-diaphragm pump to draw pre-diluted chemical from a user-supplied tank. The solution is then discharged through the hose, wand and fan pattern spray nozzle. Includes 2 nozzles projecting a low or medium volume spray.

Key Features

- Draws pre-diluted chemical from a user-supplied tank
- Cost-effective Flojet AODD pump (Santoprene diaphragms)
- The chemical flow rate is regulated to match the mid-range of the air pump's specified operating range which protects the pump from running, repetitively, at maximum capacity
- Alternate nozzles to project a low or medium volume fan pattern spray
- Powered solely by compressed air
- Corrosion resistant wetted components ensure durability and years of reliable service
- Available as a portable unit (#940119)
- See other air-operated sprayers and foamers in [Catalog 4](#)

Includes

- Lockable, stainless steel pump enclosure
- Air inlet ball valve and regulator/filter
- Flojet 1/4" AODD pump
- 50' discharge hose, stainless steel ball valve, stainless steel wand & 2 fan nozzles

OPTIONS

Stainless Steel Hose Racks

Large Stainless Steel Hose Rack # 224150

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM) # 985100

1-Way Push Lever Mixing Station (4 GPM) # 981100

High Volume Mixing Station (9.9 GPM) # 985835

Level Masters Provide an Automatic Supply of Ready-to-Use Chemical

Level Master (Various Tank Sizes) # 989304

Gemini Level Master (Various Tank Sizes) # 989316

Alternate Air Pump Diaphragm - Santoprene Standard

Viton Diaphragm Upgrade For Flojet Air Pump # 710756

Kalrez Diaphragm Upgrade For Flojet Air Pump # 710755

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Animal Health
- Industrial
- Pharm/Bio
- And Many Other Applications!



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air up to 4 CFM

Hose 1/2" ID x 50'

Nozzle 2506 or 2510

Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

LaffertyEquipment.com

Portable 2 Wheeled 20 Gallon Liberty Sprayer

MODEL # 940119

OVERVIEW

The Portable 2-Wheel 20 Gallon Liberty Sprayer is a chemical spray applicator for projecting ready-to-use chemical solution on to a variety of surfaces. This unit features a stainless steel enclosure and cart and uses a cost-effective Flojet air-operated, double-diaphragm pump to draw pre-diluted chemical from the 20 gallon tank. The solution is then discharged through the hose, wand and fan pattern spray nozzle. Includes 2 spray nozzles providing either 16 or 28 minutes of spraying time per 20 gallons of solution depending on the nozzle used.

Key Features

- Draws pre-diluted chemical from the 20 gallon tank
- Cost-effective Flojet AODD pump (Santoprene diaphragms)
- The chemical flow rate is regulated to match the mid-range of the air pump's specified operating range which protects the pump from running, repetitively, at maximum capacity
- Alternate nozzles to project a low or medium volume fan pattern spray
- Sprays for 16 or 28 minutes per tank fill
- Powered solely by compressed air
- Corrosion resistant wetted components ensure durability and years of reliable service
- Balanced weight distribution to prevent tipping
- Available in five color-coded configurations
- Available as a wall-mounted unit (#940005)
- See other air-operated sprayers and foamers in [Catalog 4](#)

Includes

- All stainless steel 2-wheel cart with non-marking tires
- 20 gallon, wide-mouth, polyethylene chemical tank
- Lockable, stainless steel pump enclosure
- Air inlet ball valve and regulator/filter
- Flojet 1/4" AODD pump
- 50' discharge hose, stainless steel ball valve, stainless steel wand & 2 fan nozzles

OPTIONS

Alternate Air Pump Diaphragm - Santoprene Standard

Viton Diaphragm Upgrade For Flojet Air Pump	# 710756
Kalrez Diaphragm Upgrade For Flojet Air Pump	# 710755

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM)	# 985100
1-Way Push Lever Mixing Station (4 GPM)	# 981100
High Volume Mixing Station (9.9 GPM)	# 985835



Available with Color-Matched Tanks and Hoses



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air	up to 4 CFM
Hose	1/2" ID x 50'
Nozzle	2506 or 2510

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Animal Health
- Industrial
- Pharm/Bio
- And Many Other Applications!

Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

LaffertyEquipment.com

Portable 20 Gallon Liberty Sprayer

MODEL # 940120

OVERVIEW

The Portable 20 Gallon Liberty Sprayer is a chemical spray applicator for projecting ready-to-use chemical solution on to a variety of surfaces. This unit features an all stainless steel 4-wheel cart and lockable enclosure and uses a cost-effective Flojet air-operated, double-diaphragm pump to draw ready-to-use chemical from the 20 gallon tank. The solution is then discharged through the hose, wand and fan pattern spray nozzle. Includes 2 spray nozzles providing either 16 or 28 minutes of spraying time per 20 gallons of solution depending on the nozzle used.

Key Features

- Draws pre-diluted chemical from the 20 gallon tank
- Cost-effective Flojet AODD pump (Santoprene diaphragms)
- The chemical flow rate is regulated to match the mid-range of the air pump's specified operating range which protects the pump from running, repetitively, at maximum capacity
- Alternate nozzles to project a low or medium volume fan pattern spray
- Sprays for 16 or 28 minutes per tank fill
- Powered solely by compressed air
- Corrosion resistant wetted components ensure durability and years of reliable service
- Balanced weight distribution to prevent tipping
- Available in five color-coded configurations
- Available as a wall-mounted unit (#940005)
- See other air-operated sprayers and foamers in [Catalog 4](#)

Includes

- All stainless steel 4-wheel cart assembly
- Non-marking tires & stainless steel swivel casters
- 20 gallon, wide-mouth, polyethylene chemical tank
- Lockable, stainless steel pump enclosure
- Air inlet ball valve and regulator/filter
- Flojet 1/4" AODD pump
- 50' discharge hose, stainless steel ball valve, stainless steel wand & 2 fan nozzles

OPTIONS

Alternate Air Pump Diaphragm - Santoprene Standard

Viton Diaphragm Upgrade For Flojet Air Pump	# 710756
Kalrez Diaphragm Upgrade For Flojet Air Pump	# 710755

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM)	# 985100
1-Way Push Lever Mixing Station (4 GPM)	# 981100
High Volume Mixing Station (9.9 GPM)	# 985835

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Animal Health
- Industrial
- Pharm/Bio
- And Many Other Applications!

COLOR



OPTIONS



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air	up to 4 CFM
Hose	1/2" ID x 50'
Nozzle	2506 or 2510

Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

LaffertyEquipment.com

Portable 60 Gallon Liberty Sprayer

MODEL # 940126

OVERVIEW

The Portable 60 Gallon Liberty Sprayer is a chemical spray applicator for projecting ready-to-use chemical solution on to a variety of surfaces. This unit features an all stainless steel cart and lockable enclosure and uses a cost-effective Flojet air-operated, double-diaphragm pump to draw ready-to-use chemical from the 60 gallon tank. The solution is then discharged through the hose, wand and fan pattern spray nozzle. Includes 2 spray nozzles providing either 16 or 28 minutes of spraying time per 20 gallons of solution, depending on the nozzle used.

Key Features

- Draws pre-diluted chemical from the 60 gallon tank
- Cost-effective Flojet AODD pump (Santoprene diaphragms)
- The chemical flow rate is regulated to match the mid-range of the air pump's specified operating range which protects the pump from running, repetitively, at maximum capacity
- Alternate nozzles to project a low or medium volume fan pattern spray
- Sprays for 16 or 28 minutes per 20 gallons of solution
- Powered solely by compressed air
- Corrosion resistant wetted components ensure durability and years of reliable service
- Available as a wall-mounted unit (#940005)
- See other air-operated sprayers and foamers in [Catalog 4](#)

Includes

- All stainless steel 4-wheel cart assembly with integrated hose rack
- Non-marking tires & stainless steel swivel casters
- 60 gallon, wide-mouth, polyethylene chemical tank with drain
- Lockable, stainless steel pump enclosure
- Air inlet ball valve and regulator/filter
- Flojet 1/4" AODD pump
- 50' discharge hose, stainless steel ball valve, stainless steel wand & 2 fan nozzles

OPTIONS

Alternate Air Pump Diaphragm - Santoprene Standard

Viton Diaphragm Upgrade For Flojet Air Pump # 710756

Kalrez Diaphragm Upgrade For Flojet Air Pump # 710755

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM) # 985100

1-Way Push Lever Mixing Station (4 GPM) # 981100

High Volume Mixing Station (9.9 GPM) # 985835

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Animal Health
- Industrial
- Pharm/Bio
- And Many Other Applications!



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air up to 4 CFM

Hose 1/2" ID x 50'

Nozzle 2506 or 2510

Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

LaffertyEquipment.com

Portable 40 Gallon Freedom 2.4 Sprayer

MODEL # 942124

OVERVIEW

The Portable 40 Gallon 2.4 Freedom Sprayer is a chemical applicator for projecting ready-to-use chemical solution as a fan pattern spray. This unit features a lockable, stainless steel enclosure, a 4-wheel stainless steel cart, and a rugged 1/2" Sandpiper air-operated, double-diaphragm pump that draws pre-diluted chemical from the 40 gallon tank and discharges the solution through the hose, wand and nozzle. Two spray nozzles are included, which provide either 10 or 6.5 minutes of spraying time per 20 gallons of solution, depending on the nozzle used.

Key Features

- Offers a higher volume than Liberty Sprayers, projecting a low or medium flow fan pattern, depending on the nozzle used from the two included.
- Sprays for 6.5 or 10 minutes per 20 gallons of solution, based on nozzle used
- Draws pre-diluted chemical from the 40 gallon tank
- Rugged 1/2" Sandpiper AODD pump with Santoprene diaphragms
- The chemical flow rate is regulated to match the pump's optimum operating range, which protects the pump from running, repetitively, at maximum capacity
- Powered solely by compressed air
- Chemical resistant wetted components ensure durability and years of reliable service
- Available with a 60 gallon tank (#942126)
- Available with two hoses and 60 gallon tank (#942136)
- See other air-operated sprayers and foamers in [Catalog 4](#)

Includes

- All stainless steel 4-wheel cart assembly
- Non-marking tires
- Two stainless steel swivel casters
- 40 gallon, wide-mouth, polyethylene chemical tank with drain
- Lockable, stainless steel pump enclosure
- Air inlet ball valve and regulator/filter
- Sandpiper 1/2" AODD pump
- 50' discharge hose, stainless steel ball valve, stainless steel wand & 2 fan nozzles

OPTIONS

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM)	# 985100
1-Way Push Lever Mixing Station (4 GPM)	# 981100
High Volume Mixing Station (9.9 GPM)	# 985835

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Concrete
- Dairy
- Industrial
- Metal Processing
- Pharm/Bio
- And Many Other Applications!



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air	up to 9 CFM
Hose	1/2" ID x 50'
Nozzle	2520 & 2530

Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

LaffertyEquipment.com

Portable 60 Gallon Freedom 2.4 Sprayer

MODEL # 942126

OVERVIEW

The Portable 60 Gallon 2.4 Freedom Sprayer is a chemical applicator for projecting ready-to-use chemical solution as a fan pattern spray. This unit features a lockable, stainless steel enclosure, a 4-wheel stainless steel cart, and a rugged 1/2" Sandpiper air-operated, double-diaphragm pump that draws pre-diluted chemical from the 60 gallon tank and discharges the solution through the hose, wand and nozzle. Two spray nozzles are included, which provide either 10 or 6.5 minutes of spraying time per 20 gallons of solution, depending on the nozzle used.

Key Features

- Offers a higher volume than Liberty Sprayers, projecting a low or medium flow fan pattern, depending on the nozzle used from the two included.
- Sprays for 6.5 or 10 minutes per 20 gallons of solution, based on nozzle used
- Draws pre-diluted chemical from the 60 gallon polyethylene tank
- Rugged 1/2" Sandpiper AODD pump with Santoprene diaphragms
- The chemical flow rate is regulated to match the pump's optimum operating range, which protects the pump from running, repetitively, at maximum capacity
- Powered solely by compressed air
- Chemical resistant wetted components ensure durability and years of reliable service
- Available with a 40 gallon tank (#942124)
- Available with two hoses and 60 gallon tank (#942136)
- See other air-operated sprayers and foamers in [Catalog 4](#)

Includes

- All stainless steel 4-wheel cart assembly
- Non-marking tires
- Two stainless steel swivel casters
- 60 gallon, wide-mouth polyethylene tank with drain
- Lockable, stainless steel pump enclosure
- Air inlet ball valve and regulator/filter
- Sandpiper 1/2" AODD pump
- 50' discharge hose, stainless steel ball valve, stainless steel wand and two fan nozzles

OPTIONS

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM)	# 985100
1-Way Push Lever Mixing Station (4 GPM)	# 981100
High Volume Mixing Station (9.9 GPM)	# 985835



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air	up to 9 CFM
Hose	1/2" ID x 50'
Nozzle	2520 & 2530

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Dairy
- Hatchery
- Industrial
- Pharm/Bio
- And Many Other Applications!

Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

LaffertyEquipment.com

Portable 60 Gallon Freedom 2.4 / 2.4 Sprayer

MODEL # 942136

OVERVIEW

The Portable 60 Gallon 2.4 / 2.4 Freedom Sprayer is a dual-hose chemical applicator for projecting ready-to-use chemical solution as a fan pattern spray. This unit features a lockable, stainless steel enclosure, a 4-wheel stainless steel cart, and a rugged 1/2" Sandpiper air-operated, double-diaphragm pump that draws pre-diluted chemical from the 60 gallon tank and discharges the solution through the hose, wand and nozzle. Each discharge assembly includes two spray nozzles, which provide either 5 or 3.25 minutes of spraying time per 20 gallons of solution, depending on the nozzle used (assuming both hoses in operation).

Key Features

- Two discharge hose assemblies for single or dual use.
- Offers a higher volume than Liberty Sprayers, projecting a low or medium flow fan pattern, depending on the nozzle used from the two included.
- Sprays for 5 or 3.5 minutes per 20 gallons of solution, based on nozzle(s) used (assuming both hoses in operation).
- Draws pre-diluted chemical from the 40 gallon tank
- Rugged 1/2" Sandpiper AODD pump with Santoprene diaphragms
- The chemical flow rate is regulated to match the pump's optimum operating range, which protects the pump from running, repetitively, at maximum capacity
- Powered solely by compressed air
- Chemical resistant wetted components ensure durability and years of reliable service
- Available with a 40 gallon tank (#942124)
- Available with one hose and 60 gallon tank (#942126)
- See other air-operated sprayers and foamers in [Catalog 4](#)

Includes

- All stainless steel 4-wheel cart assembly
- Non-marking tires
- Two stainless steel swivel casters
- 60 gallon, wide-mouth polyethylene tank with drain
- Lockable, stainless steel pump enclosure
- Air inlet ball valve and regulator/filter
- Sandpiper 1/2" AODD pump
- Two 50' discharge hoses, each with stainless steel ball valve, stainless steel wand and two fan nozzles

OPTIONS

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM)	# 985100
1-Way Push Lever Mixing Station (4 GPM)	# 981100
High Volume Mixing Station (9.9 GPM)	# 985835



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air	up to 9 CFM
Hose	1/2" ID x 50'
Nozzle	2520 & 2530

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Dairy
- Hatchery
- Industrial
- Pharm/Bio
- And Many Other Applications!



Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

LaffertyEquipment.com

Portable 60 Gallon Freedom 2.4 / 2.4 Sprayer

MODEL # 942136

OVERVIEW

The Portable 60 Gallon 2.4 / 2.4 Freedom Sprayer is a dual-hose chemical applicator for projecting ready-to-use chemical solution as a fan pattern spray. This unit features a lockable, stainless steel enclosure, a 4-wheel stainless steel cart, and a rugged 1/2" Sandpiper air-operated, double-diaphragm pump that draws pre-diluted chemical from the 60 gallon tank and discharges the solution through the hose, wand and nozzle. Each discharge assembly includes two spray nozzles, which provide either 5 or 3.25 minutes of spraying time per 20 gallons of solution, depending on the nozzle used (assuming both hoses in operation).

Key Features

- Two discharge hose assemblies for single or dual use.
- Offers a higher volume than Liberty Sprayers, projecting a low or medium flow fan pattern, depending on the nozzle used from the two included.
- Sprays for 5 or 3.5 minutes per 20 gallons of solution, based on nozzle(s) used (assuming both hoses in operation).
- Draws pre-diluted chemical from the 40 gallon tank
- Rugged 1/2" Sandpiper AODD pump with Santoprene diaphragms
- The chemical flow rate is regulated to match the pump's optimum operating range, which protects the pump from running, repetitively, at maximum capacity
- Powered solely by compressed air
- Chemical resistant wetted components ensure durability and years of reliable service
- Available with a 40 gallon tank (#942124)
- Available with one hose and 60 gallon tank (#942126)
- See other air-operated sprayers and foamers in [Catalog 4](#)

Includes

- All stainless steel 4-wheel cart assembly
- Non-marking tires
- Two stainless steel swivel casters
- 60 gallon, wide-mouth polyethylene tank with drain
- Lockable, stainless steel pump enclosure
- Air inlet ball valve and regulator/filter
- Sandpiper 1/2" AODD pump
- Two 50' discharge hoses, each with stainless steel ball valve, stainless steel wand and two fan nozzles

OPTIONS

Proportioning / Filling Options

1-Way Ball Valve Mixing Station (4 GPM)	# 985100
1-Way Push Lever Mixing Station (4 GPM)	# 981100
High Volume Mixing Station (9.9 GPM)	# 985835



REQUIREMENTS

Ready-to-Use Chemical Solution

Compressed Air	up to 9 CFM
Hose	1/2" ID x 50'
Nozzle	2520 & 2530

APPLICATIONS

- Food & Beverage
- Agriculture/Horticulture
- Dairy
- Hatchery
- Industrial
- Pharm/Bio
- And Many Other Applications!



Lafferty
EQUIPMENT MANUFACTURING INC.

1.501.851.2820 or 1.800.999.2820

LaffertyEquipment.com